

**Position no. 2 – 006500**

**PTT 2000 – AUTOMATIC PRESSURE TESTER**

Automatic pressure tyre tester for inspection under pressure of truck tyres. The test is performed at 3 pressures (2, 6 and 8 bar), and 2 speeds can be set for the rotation of the tyre.



*(image just for illustration purpose, the machine offered may have different configuration)*

**MAIN FEATURES:**

- Robust structure
- Internal lights
- Automatic electric lifter
- Automatic bead plates closure (no spacers are needed!)
- Tyre rotation by inverter, 2 rotations and speeds
- 1 pair of bead plates included
- Mitsubishi electronic components
- Machine in compliance with CE regulations

*TRM Srl - The present communication contains reserved information the disclosing party considers to be confidential, proprietary and shared only and exclusively with the receiving party. Any unauthorized disclosure of such information to third parties is strictly forbidden.*



**TECHNICAL DATA:**

Air supply pressure	8 bar
Total installed power	5 kW
Power Supply voltage	400V – 50 Hz
Overall dimensions in mm	2450x1900x2500h
Weight	1800 kg
Range of tyres to be tested	15" - 24.5"

**OTHER PICTURES**

**Double-size bead plates without spacers and automatic lifter = Faster operation.**



### Internal lighting system



### Push-button

